

Safety Data Sheet  
May be used to comply with  
OSHA's Hazard Communication Standard,  
29 CFR 1910.1200(g). Standard must be  
consulted for specific requirements.

U.S. Department of Labor  
Occupational Safety and Health  
Administration (Non-Mandatory Form)  
Form Approved  
OMB No. 1218-0072

---

---

## SECTION I - IDENTIFICATION

---

---

|                           |  |                             |                  |
|---------------------------|--|-----------------------------|------------------|
| Product identifier:       | Kastalon FDA Polyurethane                |                             |                  |
| Relevant identified uses: | For industrial or professional use only. |                             |                  |
| Supplier:                 | Kastalon Inc.                            | Emergency telephone number: | 708-389-2210     |
|                           | 4100 W. 124th Place                      | Telephone for information:  | 708-389-2210     |
|                           | Alsip, IL 60803-1876                     | Website:                    | www.kastalon.com |

---

---

## SECTION II - HAZARD(S) IDENTIFICATION

---

---

Classification of the substance or mixture: While this material is not considered hazardous according to the OSHA Hazard Communication Standard (29CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available.

### Label Elements

|                             |                       |              |      |
|-----------------------------|-----------------------|--------------|------|
| Trade name:                 | Kastalon Polyurethane | Signal Word: | None |
| Hazard statement(s):        | None                  | Pictograms:  | None |
| Precautionary statement(s): | None                  |              |      |

Description of any hazards not otherwise classified: **Acute:** Fumes from hot work on or near polyurethane products can be irritating and lead to coughing. These fumes could contain traces of TDI, MDI, and/or other isocyanates. Skin or airborne exposure to isocyanates may produce an asthma-like lung sensitization, with shortness of breath, wheezing or cough, which may occur after re-exposure to very low levels. Skin contact with some polyurethane products may result in skin sensitization or an asthma-like lung sensitization.

**Chronic:** Animal studies indicate that chronic inhalation or overexposure of dusts may cause inflammation of the lungs, fibrosis, and airway destruction.

### Severe Immediate Hazards:

Dusts from grinding operations may aggravate existing lung disorders when proper protection is not used.

### OSHA Regulatory Status:

Polyurethane elastomers are fully reacted polymers forming articles which are not considered hazardous under OSHA's criteria 29 CFR 1910.1200. However, hazardous dusts, vapors, gases, or fumes may be released by mechanical or thermal processing, or by thermal decomposition.

---

---

## SECTION III - COMPOSITION/INFORMATION ON INGREDIENTS

---

---

|             |                   |                   |                |
|-------------|-------------------|-------------------|----------------|
| Synonym(s): | Cast polyurethane | Molecular weight: | Not applicable |
| Ingredient: | Cast polyurethane | CAS number:       | N/A            |
| Range:      | 100%              |                   |                |

---

---

## SECTION IV - FIRST-AID MEASURES

---

---

|  |   |
|--|---|
| Inhalation:  | Move to an area free from the risk of further exposure. If not breathing, or breathing is difficult, obtain medical attention.      |
| Skin contact:  | Wash exposed skin with soap and water.  |
| Eye contact:   | If dust from grinding causes irritation, rinse with water immediately for 5 minutes. Seek medical attention if irritation persists. |
| Ingestion:   | Not a route of exposure.  |
| Most important symptoms and effects, both acute and delayed: | Acute: None<br>Delayed: Sensitizing effects possible from dusts/fumes   |

---

---

## SECTION V - FIRE-FIGHTING MEASURES

---

---

|                                      |   |
|--------------------------------------|---|
| Extinguishing media:                 | Suitable media includes carbon dioxide, dry chemical, foam, or water spray.   |
| Unusual fire and explosion hazards:  | None  |
| Special information:                 | Toxic and/or irritating fumes can be produced during burning of this material. Decomposition products may be hazardous (see section 10 for details on decomposition products).                                |
| Recommended firefighting procedures: | Firefighters should wear self-contained breathing apparatus and full protective clothing. Downwind personnel should be evacuated. Do not reseal contaminated containers as pressure buildup may rupture them. |

---

---

## SECTION VI - ACCIDENTAL RELEASE MEASURES

---

---

|   |  |
|---|--|
| Personal precautions, protective equipment, and emergency procedures: | Evacuate personnel. Wear suitable PPE as described in section 8. |
| Environmental precautions:  | None   |
| Methods and materials for containment and cleaning up:                | Pick up and handle as any other solid material.                  |

---

---

## SECTION VII - HANDLING AND STORAGE

---

---

|   |   |
|---|---|
| Precautions for safe handling:                                | None in normal use.   |
| Conditions for safe storage, including any incompatibilities: | Store material at ambient temperature and pressure. Keep away from sources of flame, sparks, or other ignition sources. Material is stable under normal conditions. |
| Advice on general hygiene practices:                          | Do not eat, drink, and/or smoke in work areas. For industrial or professional use only.   |

---

---

## SECTION VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

---

---

|                  |   |
|------------------|---|
| Exposure limits: | There are no applicable exposure limits for cured polyurethane materials. There are limits for TDI and MDI which may be released under some heat processing activities. The current OSHA Permissible Exposure Limit for both TDI and MDI is 0.02 ppm (Ceiling). A ceiling limit is not to be exceeded.<br>The current American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV) for TDI is 0.005 ppm for an 8 hour TWA, with a 15 minute Short Term Exposure Limit (STEL) of 0.02 ppm. TDI is also indicated as a |
|------------------|---|

---

---

## SECTION VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

---

---

“Sensitizer” by ACGIH. The 8 hour TLV for MDI is 0.005 PPM TWA. The TLV for TDI is under the 2006 ACGIH notice of intended changes. The proposed change is to lower the TLV for TDI to 0.001 ppm for an 8 hour TWA, with a 15 minute STEL of 0.003 ppm. The proposal for TDI also recommends adding a “Skin” notation and making the cancer designation “A3 – Confirmed Animal Carcinogen with Unknown Relevance to Humans”.

|   |   |
|---|---|
| Ventilation system:                     | Local exhaust recommended for thermal processing operations, as required to reduce dust, gas, and vapor fume exposure below OSHA levels.  |
| Eye protection:                         | None required in normal use. Safety glasses with side shields or safety goggles and face shield should be used in grinding operations.  |
| Personal respirators:                   | None required in normal use. For low temperature grinding operations wear a NIOSH approved dust respirator. If generating gas, vapor, and fumes from hot wire, hot knife, or other thermal processing operations (including potentially some grinding operations) wear a NIOSH approved air-purifying respirator with organic cartridge or supplied-air respirator if ventilation is inadequate. Replace cartridge according to respirator manufacturer’s change out schedule |
| Skin protection:                        | None required in normal use   |
| Other protective clothing or equipment: | None required in normal use   |
| Work/hygienic practices:                | Do not eat, drink, and/or smoke in work areas. Wash hands after use.  |

---

---

## SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

---

---

|                               |                      |   |                |
|-------------------------------|----------------------|---|----------------|
| Appearance:                   | Solid                | Freezing/melting point:                   | >150°C (302°F) |
| Lower/upper explosive limits: | N/A                  | Boiling point/range:                      | N/A            |
| Odor:                         | None                 | Flash point:                              | N/A            |
| Odor threshold:               | N/A                  | Evaporation rate                          | N/A            |
| Vapor pressure (mm Hg):       | N/A                  | % Volatiles by volume at 70°F (21°C)      | N/A            |
| Vapor density (Air = 1):      | N/A                  | Partition coefficient: n-octanol / water: | N/A            |
| pH:                           | N/A                  | Auto-ignition temperature:                | N/A            |
| Relative density:             | ~1.0-1.3 (23°C/73°F) | Decomposition temperature:                | >150°C (302°F) |
| Solubility in water:          | Not soluble in water | Viscosity:                                | N/A            |

---

---

## SECTION X - STABILITY AND REACTIVITY

---

---

|  |  |
|--|--|
| Reactivity and chemical stability:     | Not reactive under normal use. Stable under normal use/storage conditions.   |
| Hazardous polymerization               | Will not occur under normal use/storage conditions.  |
| Conditions to avoid:                   | Exposure to extreme temperatures and contact unwanted contact with incompatible materials should be avoided.   |
| Incompatible materials:                | Strong acids or bases.   |
| Hazardous decomposition or byproducts: | Decomposition through burning produces fumes consisting of organic particulate, gaseous hydrocarbons, carbon dioxide, carbon monoxide and may contain traces of toluene diisocyanate (TDI) or diphenylmethane diisocyanate (MDI), other isocyanates, hydrogen cyanide, acrolein, and oxides of nitrogen. |

---

---

## SECTION XI - TOXICOLOGICAL INFORMATION

---

---

|  |                               |                          |                               |
|--|-------------------------------|--------------------------|-------------------------------|
| Acute Toxicity (product):                    | No data available on product. | Aspiration:              | Not an aspiration hazard      |
| Skin and eye corrosion/irritation (product): | No data available on product. | Sensitization (product): | No data available on product. |
| Mutagenicity:                                | No data available on product. | Carcinogenicity:         | No data available on product. |
| Reproductive Toxicity:                       | No data available on product. | STOT-SE:                 | No data available on product. |
| STOT-SE (toluene diisocyanate):              | Respiratory Tract Irritant    | STOT-RE:                 | No data available on product. |

---



---

## SECTION XII - ECOLOGICAL INFORMATION

---



---

|                                |  |                        |                   |
|--------------------------------|--|------------------------|-------------------|
| Bioaccumulative potential:     | No data available                              | Mobility in soil:      | No data available |
| Toxicity:                      | Not applicable under normal conditions.        | Other adverse effects: | No data available |
| Persistence and degradability: | Product is not expected to rapidly biodegrade. |                        |                   |

---



---

## SECTION XIII - DISPOSAL CONSIDERATIONS

---



---

|                        |  |  |  |
|------------------------|--|--|--|
| Waste Disposal Method: | Not considered a hazardous material. Dispose of material according to any local, state, and federal regulations. |  |  |
|------------------------|--|--|--|

---



---

## SECTION XIV – TRANSPORT INFORMATION

---



---

|                        |               |                                   |               |
|------------------------|---------------|-----------------------------------|---------------|
| Packing group:         | Not regulated | Special precautions for the user: | Not regulated |
| Environmental hazards: | Not regulated | UN number:                        | Not regulated |
| Proper shipping name:  | Not regulated | Transport in bulk information:    | Not regulated |
| Hazard class:          | Not regulated |                                   |               |

---



---

## SECTION XV – REGULATORY INFORMATION

---



---

|   |  |  |      |
|---|--|--|------|
| <b>USA</b>  |  |  |      |
| TCSA Status:  | All ingredients are listed on the TSCA inventory   |  |      |
| SARA Title III, Section 302/303 Extremely Hazardous Substances:         | N/A  | SARA Title III, Section 311/312 Hazard Categories: | None |
| SARA Title III, Section 304 Hazardous Substances:                       | None   | SARA Title III, Section 313 Toxic Chemical:        | N/A  |
| <b>Canada</b>   |  |  |      |
| DSL/NDSL:   | N/A  | WHMIS Classification                               | N/A  |
| <b>EU</b>   |  |  |      |
| European Inventory of Existing Commercial Chemical Substances (EINECS): | The components of this product are on the EINECS inventory or are exempt from inventory. |  |      |
| Chemical safety assessment:   | No data available  |  |      |

---



---

## SECTION XVI – OTHER INFORMATION

---



---

Date prepared: 2016-02-05

This safety data sheet is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. It is not meant to be an all-inclusive document on worldwide hazard communication regulation. This information is believed to be accurate as of the date issued. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent exposures, property damage, or release to the environment. No warranty is expressed or implied with respect to the information herein supplied, and no responsibility for injury to the recipient or third persons, or for any damage to any property is assumed.